

Mudigere Taluk.

Sl. No.

Name of Work

- 1 Construction of an anicut across Mahamanehalla at 6/3 of K.K. Road.

Restoration of Minor tanks—

- 2 Restoration of Gowdahalli Devikere, Gonibeedu hobli.
3 Restoration of Bagasagody Devikere Reg. No. 88.

Pick-Ups—

- 4 Construction of an anicut across halla near Byduvalli.
5 Construction of an anicut across Birundihalla in Binnudi village.
6 Construction of an anicut across halla near Kademadakal

18-A. Irrigation—Original Minor (R.M.T.)—

- 7 Restoring Doddakana Hullekere. (Sl. No. 598 Mudigere Taluk).
8 Restoration of Sangamapura Devikere.
9 Raising the bund of Gowdahalli Devikere tank.

ಶ್ರೀ ಎ. ಎಂ. ಬಸವೇಗೌಡ.—ಚಿಕ್ಕಮಗಳೂರು ತಾಲ್ಲೂಕಿನಲ್ಲಿ ಮೈಸೂರು ಇರಿಗೇಷನ್ ಬಗ್ಗೆ ಯಾವ ಯಾವ ಕೆಲಸವಾಗಬೇಕೆಂದು ಸರ್ವೆಮಾಡಿ ಪಟ್ಟಿ ಮಾಡಿದ್ದೀರಾ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಸರ್ವೆಮಾಡಲು ಮಂಜೂರಾತಿ ನೀಡಿ ಕೆಲಸ ನಡೆಯುತ್ತಾ ಇದೆ.

ಶ್ರೀ ಎ. ಎಂ. ಬಸವೇಗೌಡ.—21 ಕೆಲಸಗಳೆಂದು ಚಿಕ್ಕಮಗಳೂರು ತಾಲ್ಲೂಕಿನಲ್ಲಿ ತೋರಿಸಿದೆ. ಅವು ಸುಮಾರು ಎಷ್ಟು ವರ್ಷಗಳಿಂದ ಮಾಡಲ್ಪಟ್ಟಿವೆ ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ನನ್ನ ಮುಂದೆ ಪಟ್ಟಿಯಿದೆ. ಅವೆಲ್ಲವೂ ಯಾವತ್ತು ಮಂಜೂರಾಗಿವೆ ಯೆಂಬ ವಿವರವನ್ನು ಬೇಕಾದರೆ ಮಾನ್ಯ ಸದಸ್ಯರಿಗೆ ಒದಗಿಸುವ ಕೆಲಸ ನಡೆಸಲಾಗಿದೆ.

January 1959 to-date; (Districtwise figures to be furnished);

(b) the number of sets for which amounts have been received;

(c) the number of sets for which servicing has been done;

(d) the number of applications for which amounts have been received but servicing has not yet been done;

(e) whether the delay in servicing, if any, is attributable to want of proper stores of the various components;

(f) whether the staff now employed is able to cope up with the work and whether employment of more staff will not facilitate the servicing at an earlier period ?

Installation of Pump Sets for Agricultural Purposes in the State.

*Q.—441. Sri B. VAIKUNTA BALIGA (Mangalore).—

Will the Government be pleased to state :—

(a) the number of applications received for installation of pump sets for agricultural purposes from 1st

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a), (b), (c) & (d) Vide statement given below.

(e) Yes.

(f) The staff employed at present is enough to cope with the work,